





















CSS SPECIFISHITY

WITH PLANKTON, FISH AND SHARKS

<p>*</p>  <p>universal selector 0-0-0</p>	<p>div</p>  <p>1 element 0-0-1</p>	<p>li > ul</p>  <p>2 elements 0-0-2</p>	<p>body div ...ul li p a</p>  <p>12 elements 0-0-12</p>
<p>.myClass</p>  <p>1 class 0-1-0</p>	<p>*.myClass</p>  <p>1 universal selector 1 class 0-1-0</p>	<p>[type=checkbox]</p>  <p>1 attribute selector 0-1-0</p>	<p>:only-of-type</p>  <p>1 pseudo-class 0-1-0</p>
<p>li.myClass</p>  <p>1 element 1 class 0-1-1</p>	<p>li[attr]</p>  <p>1 element 1 attribute 0-1-1</p>	<p>li:nth-of-type(3n)~li</p>  <p>2 elements 1 pseudo-class 0-1-2</p>	<p>form input[type=email]</p>  <p>2 elements 1 attribute 0-1-2</p>
<p>li.class:nth-of-type(3n)</p>  <p>1 element 1 class 1 pseudo-class 0-2-1</p>	<p>input[type]:not(.class)</p>  <p>1 element 1 class 1 attribute 0-2-1</p>	<p>cl:nth-child(odd)chk[type]...</p>  <p>10 class/attribute/ pseudo-classes 0-10-0</p>	<p>#myDiv</p>  <p>1 ID Selector 1-0-0</p>
<p>#myDiv li.class a[href]</p>  <p>2 elements 2 class/attribute 1 ID Selector 1-2-2</p>	<p>#divitis #myDiv a</p>  <p>2 ID Selectors 1 type selector 2-0-1</p>	<p>style=""</p>  <p>inline style 1-0-0-0</p>	<p>!important</p>  <p>!important 1-0-0-0</p>

ESTELLE WEYL * @ESTELLEWV * WWW.STANDARDISTA.COM * 2104

X-0-0: The number of ID selectors

0-Y-0: The number of class selectors, attributes selectors, and pseudo-classes

0-0-Z: The number of element (a.k.a. type) selectors and pseudo-elements

*, +, >, ~ : Universal selector and combinators do not increase specificity

:not(x): Negation selector has no value. Argument increases specificity

